

PLUMBING PLAN REVIEW RECORD

FBC 7th Edition 2020 Plumbing Code

Numerals Indicated in Parenthesis are Applicable Code Sections

PERMIT: DATE:

PROJECT:

REVIEWER: _____

LOCATION:

USE GROUP: CONST. TYPE: WORK CLASSIFICATION:

SCOPE OF WORK: _____

DESIGN SCOPE: > 250 FIXTURE UNITS > \$125,000 MEDICAL /OXYGEN GAS > \$5,000

DESIGN REQUIREMENTS: SEALED & SIGNED DOCUMENTS BY P.E. INSTALLING PLUMBING CONTRACTOR

SCOPE OF REVIEW:

- | | | |
|---|--|---|
| <input type="checkbox"/> 4 - FIXTURES, FAUCETS & FITTINGS | <input type="checkbox"/> 5 - WATER HEATERS | |
| <input type="checkbox"/> 6 - WATER SUPPLY & DISTRIBUTION | <input type="checkbox"/> 7 - SANITARY DRAINAGE | <input type="checkbox"/> 8 - INDIRECT/SPECIAL WASTE |
| <input type="checkbox"/> 9 - VENTS | <input type="checkbox"/> 10 - TRAPS, INTERCEPTORS & SEPARATORS | <input type="checkbox"/> 11 - STORM DRAINAGE |
| <input type="checkbox"/> 12 - SPECIAL PIPING & STORAGE SYS. | <input type="checkbox"/> 13 - GRAY WATER RECYCLING SYSTEM | <input type="checkbox"/> FUEL GAS |

MINIMUM PLUMBING FACILITIES

OCCUPANT LOAD: DESCRIPTION of USE: (Table 403.1)

MALE OCCUPANTS: OCCUPANT LOAD FOR OUTDOOR SEATING & ENTERTAINMENT AREAS INCLUDED (403.1)

FEMALE OCCUPANTS: SEPARATE FACILITIES REQUIRED (403.2) 2 UNISEX RESTROOMS ALLOWED (403.2.1)

ASSEMBLY - POTTY PARITY RATIO of 3:2 FOR WOMENS WATER CLOSETS (403.1.3)

REQUIRED FIXTURES FOR MALES: W/C & URINALS: LAVATORIES: TUBS/SHOWERS:

REQUIRED FIXTURES FOR FEMALES: WATER CLOSETS: LAVATORIES: TUBS/SHOWERS:

SEPARATE FACILITIES: NOT REQ'D - 15 or fewer NOT REQ'D - 100 or fewer - Mercantile CLOTHES WASHERS:

DRINKING FOUNTAINS: Occupant Load 15 or fewer, D/FNot Req'd Food Service-D/F Not Req'd KITCHEN SINK:

SERVICE SINKS: B or M Occupancies with an Occupant Load of 15 or fewer, Service Sink Not Required

- | | |
|--|--|
| <input type="checkbox"/> LOCATION OF TOILET ROOMS (403.3.3) | <input type="checkbox"/> TOILET ROOMS & FOOD PREPARATION ROOMS (403.3.2) |
| <input type="checkbox"/> LOCATION OF TOILET ROOMS IN MALLS (403.3.4) | <input type="checkbox"/> PAY FACILITIES (403.3.5) |
| <input type="checkbox"/> TOILET ROOM-LOCKABLE EGRESS DOORS (403.3.6) | <input type="checkbox"/> PUBLIC TOILET FACILITIES & ACCESS (403.3) (403.3.1) |
| <input type="checkbox"/> SIGNAGE - DESIGNATION & DIRECTIONAL (403.4) | <input type="checkbox"/> SANITARY FACILITY FLOORS (403.6.3) |
| <input type="checkbox"/> DRINKING FOUNTAIN LOCATION (403.5) | <input type="checkbox"/> SANITARY FACILITIES - PUBLIC POOLS (403.6) |

MINIMUM PLAN REVIEW CRITERIA (FBC 107.3.5)

- | | | | |
|---|---|--|---|
| <input type="checkbox"/> MINIMUM PLUMBING FACILITIES | <input type="checkbox"/> EQUIPMENT LIST / DATA | <input type="checkbox"/> EQUIPMENT LOCATION | |
| <input type="checkbox"/> SANITARY DRAINAGE | <input type="checkbox"/> FIXTURE REQUIREMENTS | <input type="checkbox"/> WATER SUPPLY PIPING | |
| <input type="checkbox"/> WATER HEATERS | <input type="checkbox"/> VENTS | <input type="checkbox"/> ROOF DRAINAGE | |
| <input type="checkbox"/> BACK FLOW PREVENTION | <input type="checkbox"/> IRRIGATION | <input type="checkbox"/> LOCATION OF WATER SUPPLY LINE | |
| <input type="checkbox"/> GREASE TRAPS | <input type="checkbox"/> INTERCEPTORS | <input type="checkbox"/> SEPARATORS | <input type="checkbox"/> PLUMBING RISER |
| <input type="checkbox"/> ENVIRONMENTAL REQUIREMENTS | <input type="checkbox"/> DESIGN FLOOD ELEVATION | | |
| <input type="checkbox"/> MEDICAL GASES (1202) NFPA 99C - See FFPC | <input type="checkbox"/> OXYGEN SYSTEMS (1203) NFPA 50 & NFPA 51 - See FFPC | | |

3 - GENERAL/FIXTURES/WATER HEAT. 4 - WATER SUPPLY & DISTRIBUTION 5 - SANITARY DRAINAGE 6 - VENTS
7 - INDIRECT/SPECIAL WASTE 7 - TRAPS/INTERCEPTORS/SEPARATOR 8 - STORM DRAINAGE

CORRECTION LIST

ITEM NO.	DESCRIPTION	CODE SECTION
<input type="checkbox"/> 1		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		

GENERAL REGULATIONS

- | | |
|---|--|
| <input type="checkbox"/> CONNECTION TO WATER SUPPLY (301.4) | <input type="checkbox"/> PROHIBITED LOCATIONS-ELEVATORS SHAFTS (301.6) |
| <input type="checkbox"/> CONFLICTS - MORE RESTRICTIVE (301.7) | <input type="checkbox"/> DETRIMENTAL or DANGEROUS MATERIALS (302.1) |
| <input type="checkbox"/> INDUSTRIAL WASTES (302.2) | <input type="checkbox"/> RODENTPROOFING (304.1) |
| <input type="checkbox"/> PROTECTION OF PIPES / SYSTEMS (305) | <input type="checkbox"/> TRENCHING, EXCAVATION AND BACKFILL (306) |
| <input type="checkbox"/> STRUCTURAL SAFETY (307) | <input type="checkbox"/> PIPING SUPPORT (308) |
| <input type="checkbox"/> FLOOD HAZARD RESISTANCE (309) | <input type="checkbox"/> TEST AND INSPECTIONS (312) |
| <input type="checkbox"/> CONDENSATE DISPOSAL (314) | <input type="checkbox"/> PENETRATIONS - ENVELOPE/RATED ASSM. (315) |
| <input type="checkbox"/> ALTERNATIVE ENGINEERED DESIGN (316) | <input type="checkbox"/> FOOD SERVICE ESTABLISHMENTS (317) |

FIXTURES, FAUCETS AND FIXTURE FITTINGS

- | | |
|---|---|
| <input type="checkbox"/> PROHIBITED FIXTURES & CONNECTIONS (401.2) | <input type="checkbox"/> WATER CONSERVATION - SEE SECTION 604.4 (401.3) |
| <input type="checkbox"/> FIXTURE MATERIALS (402) | <input type="checkbox"/> MINIMUM PLUMBING FACILITIES (403.1) |
| <input type="checkbox"/> ACCESSIBLE FACILITIES - SEE FBC-A (404.1) | <input type="checkbox"/> WATER SUPPLY PROTECTION (405.1) |
| <input type="checkbox"/> ACCESS FOR CLEANING (405.2) | <input type="checkbox"/> SETTING - LEVEL & PROPER ALIGNMENT (405.3) |
| <input type="checkbox"/> FIXTURE SPACING-WIDTH/DEPTH/CLEAR (405.3.1) | <input type="checkbox"/> PUBLIC LAVATORIES - LOCATION (405.3.2) |
| <input type="checkbox"/> LOCATION OF FIXTURES/PIPING-CONFLICT (405.3.3) | <input type="checkbox"/> WATER CLOSET COMPARTMENT (405.3.4) |
| <input type="checkbox"/> URINAL PARTITIONS (405.3.5) | <input type="checkbox"/> FLOOR & WALL DRAINAGE CONNECTIONS (405.4) |
| <input type="checkbox"/> WATER-TIGHT JOINTS (405.5) | <input type="checkbox"/> MENTAL HEALTH CENTERS (405.6) |
| <input type="checkbox"/> FIXTURE OVERFLOWS (405.7) | <input type="checkbox"/> SLIP JOINT CONNECTIONS & ACCESS (405.8) |
| <input type="checkbox"/> AUTOMATIC CLOTHES WASHERS (406) | <input type="checkbox"/> BATHTUBS (407) |
| <input type="checkbox"/> BIDETS (408) | <input type="checkbox"/> DISHWASHING MACHINES (409) |
| <input type="checkbox"/> DRINKING FOUNTAINS (410) | <input type="checkbox"/> EMERGENCY SHOWERS/EYE STATIONS (411) |
| <input type="checkbox"/> FLOOR & TRENCH DRAINS (412) | <input type="checkbox"/> FOOD WASTE GRINDING UNITS (413) |
| <input type="checkbox"/> GARBAGE CAN WASHERS (414) | <input type="checkbox"/> LAUNDRY TRAYS (415) |
| <input type="checkbox"/> LAVATORIES (416) | <input type="checkbox"/> SHOWERS (417) |
| <input type="checkbox"/> SINKS (418) | <input type="checkbox"/> URINALS (419) |
| <input type="checkbox"/> WATER CLOSETS (420) | <input type="checkbox"/> WHIRLPOOL BATHTUBS (421) |
| <input type="checkbox"/> HEALTH CARE FIXTURES & EQUIPMENT (422) | <input type="checkbox"/> SPECIALITY PLUMBING FIXTURES - BACKFLOW (423) |
| <input type="checkbox"/> FAUCETS & OTHER FIXTURE FITTINGS (424) | <input type="checkbox"/> INDIVIDUAL SHOWER VALVES (424.3) |
| <input type="checkbox"/> BATHTUB & WHIRLPOOL BATHTUB VALVES (424.5) | <input type="checkbox"/> FLUSHING DEVICES FOR W/C & URINALS (425) |
| <input type="checkbox"/> MANUAL FOOD & BEVERAGE EQUIPMENT (426) | <input type="checkbox"/> FLOOR SINKS (427) |

WATER HEATERS

- | | |
|--|--|
| <input type="checkbox"/> WATER HEATER AS SPACE HEATERS (501.2) | <input type="checkbox"/> DRAIN VALVES (501.3) |
| <input type="checkbox"/> WATER HEATER & STORAGE LOCATIONS (501.4) | <input type="checkbox"/> WATER HEATER LABELING (501.5) |
| <input type="checkbox"/> TEMP CONTROL - PIPING TANKLESS HEATERS (501.6) | <input type="checkbox"/> PRESSURE MARKING OF STORAGE TANKS (501.7) |
| <input type="checkbox"/> TEMPERATURE CONTROLS (501.8) | <input type="checkbox"/> INSTALLED PER MANF. INSTALL INSTRUCT. (502.1) |
| <input type="checkbox"/> ELEVATION & PROTECTION (502.1.1) | <input type="checkbox"/> PLENUM ROOMS - TYPE OF FUEL (502.2) |
| <input type="checkbox"/> WATER HEATERS IN ATTICS (502.3) | <input type="checkbox"/> CLEARANCES - MAINT. & REPLACEMENT (502.5) |
| <input type="checkbox"/> COLD WATER LINE VALVE (503.1) | <input type="checkbox"/> WATER CIRCULATION (503.2) |
| <input type="checkbox"/> SAFETY DEVICES - SECTION 504 | <input type="checkbox"/> SHUTDOWN - DISCONNECTING MEANS (504.3) |
| <input type="checkbox"/> RELIEF VALVES (504.4) & (504.5) | <input type="checkbox"/> DISCHARGING PIPING REQUIREMENTS (504.6) |
| <input type="checkbox"/> REQUIRED PAN SIZE, DRAIN, & TERMINATION (504.7) | <input type="checkbox"/> UNFIRED VESSEL INSULATION (505) |

WATER SUPPLY AND DISTRIBUTION

- SOLAR ENERGY USE-CROSS CONNECTION (601.2)
- POTABLE WATER REQUIRED (602.2)
- RECLAIMED WATER - FAC 62-610 (602.4)
- SEPARATION OF WATER SERVICE & SEWER (603.2)
- WATER DISTRIBUTION SYSTEM DESIGN (604.3)
- SIZE OF FIXTURE SUPPLY (604.5)
- VARIABLE STREET PRESSURE (604.6)
- PRESSURE REDUCING VALVE/REGULATOR (604.8)
- MANIFOLDS - DESIGN & SIZING (604.10)
- SOIL/ GROUND WATER-DETRIMENTAL COND. (605.1)
- WATER SERVICE PIPE - MATERIAL (605.3)
- WATER DISTRIBUTION PIPE - MATERIAL (605.4)
- FLEXIBLE WATER CONNECTORS (605.6)
- PROHIBITED JOINTS & CONNECTIONS (605.9)
- ASBESTOS-CEMENT JOINTS (605.11)
- GRAY IRON & DUCTILE IREON JOINTS (605.13)
- COPPER TUBING (605.15)
- CROSS-LINKED POLYETHYLENE PLASTIC (605.17)
- POLYETHYLENE PLASTIC (605.19)
- PE-AL-PE & PEX-AL-PEX (605.21)
- STAINLESS STEEL (605.23)
- LOCATION OF FULL-OPEN VALVES (606.1)
- ACCESS TO VALVES (606.2)
- WATER PRESSURE BOOSTER SYSTEMS REQ'D (606.5)
- HOT WATER REQUIRED (607.1)
- TEMPERED WATER TEMP. CONTROL (607.1.2)
- THERMAL EXPANSION CONTROL (607.3)
- PIPE INSULATION (607.5)
- PLUMBING FIXTURES-BACKFLOW PROTECT. (608.2)
- WATER SERVICE PIPING - PROTECTION (608.4)
- CROSS-CONNECTION CONTROL (608.6)
- IDENTIFICATION OF NONPOTABLE WATER (608.8)
- REUSE OF PIPING (608.10)
- PUMPS & OTHER APPLIANCES (608.12)
- LOCATION OF BACKFLOW PREVENTORS (608.14)
- CONNECTIONS TO POTABLE WATER SYSTEM(608.16)
- HEALTH CARE PLUMBING - SCOPE (609.1)
- HOSPITAL HOT WATER (609.3)
- PROHIBITED W/C & CLINICAL SINK SUPPLY (609.5)
- CONDENSATE DRAIN TRAP SEAL (609.7)
- SOLAR SYSTEMS (612.1) SEE FBC-M
- EXISTING PIPING USED FOR GROUNDING (601.3)
- INDIVIDUAL WATER SUPPLY (602.3)
- SIZE OF WATER SERVICE PIPE (603.1)
- SYSTEM INTERCONNECTION-HOT & COLD (604.2)
- MAXIMUM FLOW & WATER CONSUMPTION (604.4)
- MIN. SIZE FIXTURE WATER SUPPLY PIPES (604.5)
- INADEQUATE WATER PRESSURE (604.7)
- WATER HAMMER - WATER VELOCITY (604.9)
- INDIVIDUAL PRESSURE BAL. IN-LINE VALVES (604.11)
- LEAD CONTENT IN PIPING - 8% MAX. (605.2)
- DUAL CHECK-VALVE BACKFLOW PREV. (605.3.1)
- PIPE FITTINGS (605.5)
- VALVES - POTABLE WATER USE NSF 61 (605.7)
- ABS PLASTIC (605.10)
- BRASS (605.12)
- COPPER PIPE (605.14)
- CPVC PLASTIC (605.16)
- STEEL (605.18)
- POLYPROPYLENE (PP) PLASTIC (605.20)
- PVC PLASTIC (605.22)
- JOINTS BETWEEN DIFFERENT MATERIALS (605.24)
- LOACTION OF SHUTOFF VALVES (606.2)
- VALVE INDENTIFICATION (606.4)
- LABELING BUNDLED WATER DISTRIB. PIPES (606.7)
- TEMPERATURE LIMITING MEANS (607.1.1)
- HOT/TEMPERED WATER SUPPLY-50 FEET (607.2)
- FLOW OF HOT WATER TO FIXTURES (607.4)
- PROTECTION OF POTABLE WATER SUPPLY (608.1)
- DEVICES/APPLIANCES - BACKFLOW PROTECT. (608.3)
- CHEMICAL & OTHER SUBSTANCES (608.5)
- VALVES/OUTLEST PROHIBITED BELOW GRADE(608.7)
- REUTILIZATION PROHIBITED (608.9)
- PAINTING OF WATER TANKS (608.11)
- BACKFLOW PROTECTION (608.13)
- PROTECTION OF POTABLE WATER OUTLETS (608.15)
- PROTECTION OF INDIVIDUAL WATER SUPPLY(608.17)
- HOSPITAL WATER SERVICE (609.2)
- HOSPITAL VACUUM BREAKERS INSTALL. (609.4)
- CLINICAL/THERAPEUTIC/RADIOLOGICAL (609.6)
- VALVE LEAKAGE DIVERTER - STERILIZER (609.8)
- TEMP CONTROL DEVICES & VALVES (613.1)

SANITARY DRAINAGE

- SEWER REQUIRED (701.2)
- SEWAGE TREATMENT (701.4)
- DIRECT CONNECTION STEAM EXHAUST, ETC. (701.7)
- DRAINAGE PIPING IN FOOD SERVICE AREAS (701.9)
- UNDERGROUND BUILDING DRAINAGE / VENT (702.2)
- CHEMICAL WASTE SYSTEM (702.5)
- BUILDING SEWER PIPE NEAR WATER SERVICE (703.1)
- SANITARY & STORM SEWERS (703.3)
- CLEANOUTS ON BUILDING SEWERS-SEE 708 (703.5)
- CHANGE IN SIZE (704.2)
- FUTURE FIXTURES (704.4)
- CONNECTIONS & CHANGE IN DIRECTIONS (706.1)
- FITTINGS & CHANGE OF DIRECTION (706.3)
- HEEL-INLET OR SIDE-INLET QUARTER BENDS (706.4)
- CLEANOUT - SECTION 708
- CLEANOUTS - HORIZ. DRAINS IN BUILDINGS (708.3.1)
- CLEANOUTS - CHANGE IN DIRECTION (708.3.3)
- CLEANOUTS - BUILDING DRAIN & SEWER (708.3.5)
- CLEANOUTS - CONCEALED PIPING (708.3.6)
- CLEANOUT OPENINGS - PROHIBITED USES (708.6)
- CLEANOUTS - CLEARANCES (708.8)
- VALUES FOR FIXTURE UNITS (709.1)
- DFU VALUES-SEMI or CONTINUOUS FLOW (709.3)
- DFU VALUES-CLEAR-WATER WASTE RECEPT.(709.4.1)
- HORIZONTAL STACK OFFSETS (710.1.1)
- FUTURE FIXTURES (710.2)
- HORIZONTAL STACK OFFSETS (711.2)
- SUMPS & EJECTORS - BUILDING DRAINS (712.1)
- SUMP PUMP & PIT DESIGN (712.3)
- HEALTH CARE PLUMBING - SCOPE (713.1)
- INDIRECT WASTE - STERILIZERS/STEAMERS (713.3)
- BOTTLE SYSTEMS - FLUID SUCTION (713.5)
- CENTRAL VACUUM / DISPOSAL CONNECTION (713.7)
- VENT CONNECTIONS PROHIBITED (713.8)
- STERILIZER VENTS & STACKS (713.10)
- COMPUTER DRAINAGE DESIGN (714)
- SEPARATE SEWER CONNECTION (701.3)
- DAMAGE TO DRAINAGE SYS/PUBLIC SEWER (701.5)
- ENGINEERED SANITARY DRAINAGE SYSTEMS (701.8)
- ABOVE-GROUND DRAINAGE & VENT PIPE (702.1)
- BUILDING SEWER PIPE (702.3)
- LEAD BENDS & TRAPS (702.6)
- DRAINAGE PIPE IN FILLED GROUND (703.2)
- EXISTING BUILDINGS SEWERS & DRAINS (703.4)
- SLOPE OF HORIZONTAL DRAINAGE PIPING (704.1)
- CONNECTION OFFSETS & BASES OF STACKS (704.3)
- JOINTS BETWEEN PIPE & FITTINGS - (705)
- FITTING OBSTRUCTIONS (706.2)
- BACK-TO-BACK WATER CLOSET CONNECTION(706.3)
- PROHIBITED JOINTS & CONNECTIONS (707.1)
- CLEANOUT PLUGS (708.2)
- CLEANOUTS - BUILDING SEWERS (708.3.2)
- CLEANOUTS - BASE OF STACK (708.3.4)
- MANHOLES - COVER & LOCATION (708.3.6)
- CLEANOUT OPENING DIRECTION (708.5)
- CLEANOUTS - MINIMUM SIZE (708.7)
- CLEANOUTS - ACCESS (708.9)
- DFU FOR FIXTURE DRAINS or TRAPS (709.2)
- DFU VALUES - INDIRECT WASTE RECEPTOR (709.4)
- MAXIMUM FIXTURE UNIT LOAD (710.1) - see tables
- VERTICAL STACK OFFSETS (710.1.2)
- HORIZ. BRANCH/VERTICAL OFFSET-5 STORIES(711.1)
- OFFSETS BELOW LOWEST BRANCH (711.3)
- CHECK VALVE REQUIRED (712.2)
- SEWAGE PUMPS & SEWAGE EJECTORS (712.4)
- BEDPAN WASHERS & CLINICAL SINKS (713.2)
- VACUUM SYSTEM STATIONS - LOCATIONS (713.4)
- CENTRAL DISPOSAL SYSTEM EQUIPMENT (713.6)
- PIPING FOR CENTRAL VACUUM SYSTEMS (713.7.1)
- LOCAL VENTS/STACKS FOR BEDPAN WASHER(713.9)
- STERILIZER VENT STACK SIZES (713.11)
- BACKWATER VALVES - SEWAGE BACKFLOW (715)

GRAY WATER RECYCLING SYSTEMS

- INSTALLATION (1301.2)
- POTABLE WATER CONNESTION (1301.6)
- FILTRATION & REQUIRED VALVE (1301.9)
- REQUIRED DRAIN (1301.11)
- MATERIALS (1301.3)
- COLLECTION RESERVOIR (1301.8)
- OVERFLOW (1301.10)
- REQUIRED VENT (1301.12)

VENTS

- TRAP SEAL PROTECTION (901.2)
- CHEMICAL WASTE VENT SYSTEMS (901.3)
- ENGINEERED SYSTEMS (901.6) See 919
- VENT PIPE FLASHING (902.2 & 902.3)
- FLASHING REQUIRED (903.3)
- LOCATION OF VENT TERMINAL (903.5)
- REQUIRED VENT EXTENSIONS (904.1)
- REQUIRED VENT SIZE (904.1.2)
- VENT STACK OR STACK VENT TERMINATION (904.3)
- VENT HEADERS - STACK VENTS/VENT STACKS (904.5)
- GRADE - GRAVITY DRAIN BACK (905.2)
- VERTICAL RISE OF VENT / FLOOD LEVEL RIM (905.4)
- VENT FOR FUTURE FIXTURES (905.6)
- SIZING INDIVIDUAL/BRANCH/CIRCUIT VENT (906.2)
- MULTIPLE BRANCH VENTS (906.4)
- VENTS FOR HORIZ. OFFSET-DRAINAGE VENTS (907.1)
- LOSER SECTION - DRAINAGE STACK (907.3)
- RELIEF VENT SIZE & CONNECTION (908.2)
- FIXTURE DRAIN PIPE SLOPE (909.2)
- INDIVIDUAL VENT - ALLOWED (910.1)
- VENT CONNECTION AT SAME LEVEL (911.2)
- COMMON VENT SIZES (911.3) See Table 911.3
- VERTICAL WET VENT-BATHROOM GROUP (912.1.1)
- DRY VENT/WET VENT SIZING (912.3) See Table 912.3
- WASTE STACK INSTALLATION (913.2)
- WASTE STACK SIZE (913.4) See Table 913.4
- MULTIPLE CIRCUIT-VENTED BRANCHES (914.1.1)
- SLOPE & SIZE OF HORIZONTAL BRANCH (914.3)
- RELIEF VENTS & 4 OR MORE WASTE CLOSETS (914.4)
- RELIEF VENT - FIXTURE DRAIN OR BRANCH (914.4.2)
- COMB. WASTE/VENT SYSTEM-FIXTURE TYPES (915.1)
- SLOPE-HORZ. COMB. WASTE/VENT SYSTEM (915.2.1)
- DRY VENT - COMB. WASTE & VENT SYSTEMS (915.2.3)
- FIX. BRANCH/DRAIN CONNECT-COMB. W&V (915.2.5)
- ISLAND FIXTURE VENT CONNECTION (916.2)
- DRAINAGE STACK-SINGLE STACK VENT SYS. (917.1)
- SIZE-HORZ. BRANCH-SINGLE STACK VENT SYS (917.3)
- FIXTURE CONNECTIONS FROM STACK (917.4.2 & 4.3)
- ADDITION VENTING REQUIRED (917.6) See Condition
- AIR ADMITTANCE VALVES (918)
- VENTING REQUIRED (901.2.1)
- VENT SYSTEM - USE LIMITATIONS (901.4)
- VENT MATERIALS & METHODS (902.1) See 702
- VENT TERMINALS - ROOF EXTENSIONS (903.1)
- VENT TERMINALS - PROHIBITED USE (903.4)
- VENT TERMINALS EXTENDING THRU WALLS (903.6)
- REQUIRED VENT - DRY VENT TO BLD DRAIN (904.1.2)
- VENT STACK - WHEN REQUIRED (904.2)
- VENT STACK CONNECTION AT BASE (904.4)
- INDIVIDUAL, BRANCH, CIRCUIT CONNECTION (905.1)
- DRY VENT CONNECTING TO HORIZ. DRAIN (905.3)
- VENT PIPE CONNECTION ABOVE FIXTURES (905.5)
- SIZE OF STACK VENTS / VENT STACKS (906.1)
- DEVELOPED LENGTHS OF VENTS (906.3)
- SUMP VENTS (906.5)
- UPPER SECTION - DRAINAGE STACK (907.2)
- RELIEF VENTS - WHERE REQUIRED (908.1)
- DISTANCE OF TRAP FROM VENT (909.1)
- CROWN VENT - VENT & TRAP WEIR (909.3)
- INDIVIDUAL VENT AS COMMON VENT (911.1)
- VENT CONNECTION AT SAME LEVEL (911.3)
- HORIZONTAL WET VENT-BATHROOM GROUP (912.1)
- DRY-VENT TO WET VENT CONNECTION (912.2)
- WASTE STACK VENT ALLOWED (913.1)
- STACK VENT FOR WASTE STACK (913.3)
- CIRCUIT VENT-8 FIXTURES & HORIZ. BRANCH (914.1)
- CIRCUIT VENT CONNECTION (914.2)
- SIZE OF MULTIPLE CIRCUIT VENTS (914.3.1)
- RELIEF VENT-CONNECTION/ INSTALLATION (914.4.1)
- FIXTURES TO HORIZONTAL BRANCH DRAIN (914.5)
- VERTICAL PIPE-COMB. WASTE/VENTSYSTEM (915.2)
- SIZE-COMB. WASTE & VENT PIPES (915.2.2) See Table
- VENT SIZE - TOTAL DFU LOAD (915.2.4) See 906.2
- ISLAND FIXTURE VENTING - LIMITATIONS (916.1)
- ISLAND VENT - BELOW FLOOD LEVEL RIM (916.3)
- DRAINAGE STACK SIZE (917.2) See Table 917.2
- WATER CLOSET CONNECTION FROM STACK (917.4.1)
- MIN. VERTICAL PIPING SIZE FROM FIXTURE (917.5)
- STACK OFFSETS (917.7)
- ENGINEERED/COMPUTERIZED VENT SYS. (919 & 920)

INDIRECT/SPECIAL WASTE

- | | |
|--|--|
| <input type="checkbox"/> INDIRECT WASTE - REQUIRED (802.1) | <input type="checkbox"/> FOOD HANDLING (802.1.1) |
| <input type="checkbox"/> FLOOR DRAINS IN FOOD STORAGE AREAS (802.1.2) | <input type="checkbox"/> POTABLE CLEAR-WATER WASTE (802.1.3) |
| <input type="checkbox"/> SWIMMING POOLS (802.1.4) | <input type="checkbox"/> NONPOTABLE CLEAR-WATER WASTE (802.1.5) |
| <input type="checkbox"/> DOMESTIC DISHWASHING MACHINES (802.1.6) | <input type="checkbox"/> COMMERCIAL DISHWASHING MACHINES (802.1.7) |
| <input type="checkbox"/> FOOD UTENSILS, DISHES, POTS, PANS SINKS (802.1.8) | <input type="checkbox"/> INDIRECT PIPING DISCHARGE (802.2) |
| <input type="checkbox"/> AIR GAP & INDIRECT WASTE PIPE (802.2.1) | <input type="checkbox"/> AIR GAP & INDIRECT WASTE PIPE (802.2.2) |
| <input type="checkbox"/> WASTE RECEPTORS (802.3) | <input type="checkbox"/> STANDPIPES (802.4) |
| <input type="checkbox"/> WASTE WATER TEMPERATURE & DISCHARGE (803.1) | <input type="checkbox"/> NEUTRALIZING DEVICE - CORROSIVE WASTE (803.2) |
| <input type="checkbox"/> CHEMICAL DRAINAGE / VENT SYS. DESIGN (803.3) | <input type="checkbox"/> INDIRECT WASTE PIPES - MATERAILS (804.1) CHPT 7 |

TRAPS, INTERCEPTORS & SEPARATORS

- | | |
|--|--|
| <input type="checkbox"/> FIXTURE TRAPS - VERT. & HORIZ. DISTANCES (1002.1) | <input type="checkbox"/> DESIGN OF TRAPS (1002.2) |
| <input type="checkbox"/> PROHIBITED TRAPS (1002.3) | <input type="checkbox"/> TRAP SEALS (1002.4) |
| <input type="checkbox"/> SIZE OF FIXTURE TRAPS (1002.5) | <input type="checkbox"/> BUILDING (HOUSE) TRAPS (1002.6) |
| <input type="checkbox"/> TRAP SETTING & PROTECTION (1002.7) | <input type="checkbox"/> RECESS FOR TRAP - SLAB CONSTRUCTION (1002.8) |
| <input type="checkbox"/> ACID-RESISTING TRAPS - UNDERGROUND (1002.9) | <input type="checkbox"/> PLUMBING IN MENTAL HEALTH CENTERS (1002.10) |
| <input type="checkbox"/> INTERCEPTORS & SEPARATORS - REQUIRED (1003.1) | <input type="checkbox"/> INTERCEPTOR/SEPARATOR APPROVAL (1003.2) |
| <input type="checkbox"/> GREASE TRAPS/INTERCEPTORS (1003.3) REVIEW 1003.3.1 - 1003.3.5 for PUBLICLY or INVESTOR-OWNED SEWAGE SYSTEMS | |
| <input type="checkbox"/> OIL SEPARATORS REQUIRED (1003.4) | <input type="checkbox"/> SEPARATION OF LIQUIDS (1003.4.1) |
| <input type="checkbox"/> OIL SEPARATOR DESIGN (1003.4.2) | <input type="checkbox"/> GARAGE & SERVICE STATIONS (1003.4.2.2) |
| <input type="checkbox"/> GREASE INTERCEPTORS FOR ONSITE SEWAGE TREATMENT & DISPOSAL SYSTEMS - See FAC 64E-6 (1003.5) | |
| <input type="checkbox"/> LAUNDRIES - EXCEPT FOR DWELLING UNITS (1003.6) | <input type="checkbox"/> BOTTLING ESTABLISHMENTS (1003.7) |
| <input type="checkbox"/> SLAUGHTERHOUSES (1003.8) | <input type="checkbox"/> VENTING OF INTERCEPTORS & SEPARATORS (1003.9) |
| <input type="checkbox"/> ACCESS & MAINTENANCE - INTERCEPT/SEP (1003.10) | <input type="checkbox"/> SAND INTERCEPTORS - COMMERCIAL (1003.11) |
| <input type="checkbox"/> MATERIALS, JOINTS, & CONNECTORS (1004.1) See APPLICABLE SECTIONS OF CHAPTERS 4 & 7 | |

CORRECTION LIST		
ITEM NO.	DESCRIPTION	CODE SECTION
<input type="checkbox"/> 1		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		

STORM DRAINAGE

- STORM DRAINAGE - WHERE REQUIRED (1101.2)
- DRAINAGE PIPE - CHANGE IN SIZE (1101.5)
- ROOF DESIGN - MAXIMUM POSSIBLE DEPTH (1107.7)
- BACKWATER VALVES (1107.9)
- INSIDE STORM DRAINAGE CONDUCTORS (1102.2)
- BUILDING STORM SEWER PIPES (1102.4) See Table
- ROOF DRAINS - ASTM A112.6.4 OR A112.3.1 (1102.6)
- LEADERS & STORM DRAINS-COMB. SEWER (1103)
- COMBINING STROM & SANITARY DRAINAGE (1104.2)
- ROOF DRAINS - MANF. INSTRUCTIONS (1105.1)
- SIZE-CONDUCTORS/LEADERS/STORM DRAIN(1106.1)
- BUILDING STORM DRAINS & SEWERS (1106.3)
- SCUPPER LOCATIONS - (1106.5) See FBC-B 1503.4
- SCUPPER SIZING (1106.7) See Table
- SECONDARY ROOF DRAINS (1108.1)
- SIZING SECONDARY DRAINS (1108.3) See 1106
- CONTINUOUS DISCHARGE CALCULATIONS (1110.1)
- SUB SOIL DRAINS (1112)
- SUMPS & PUMPING SYSTEMS (1114)
- PROHIBITED DRAINAGE (1101.3)
- FITTINGS & CONNECTIONS (1101.6)
- CLEANOUTS REQUIRED (1101.8)
- MATERIAL & METHODS (1102.1) See CHAPTER 7
- UNDERGROUND BLD. STORM DRAIN PIPES (1102.3)
- SUBSOIL DRAIN PIPE (1102.5) See Table
- PIPE FITTINGS (1102.7) See Table
- CONDUCTOR PIPES - PROHIBITED USE (1104.1)
- FLOOR DRAINS & STORM DRAIN (1104.3)
- ROOF DRAIN FLASHING (1105.2)
- SIZE - VERTICAL CONDUCTORS & LEADERS (1106.2)
- ROOF DRAIN/VERT. WALL CALCULATIONS (1106.4)
- SOZE PF ROOF GUTTERS (1106.6) See Table
- SIPHONIC ROOF DRAINAGE SYSTEMS (1107.1)
- SECONDARY/PRIMARY SEP. DISCHARGE (1108.2)
- SIZING COMB. SANITARY & STORM SYSTEMS (1109)
- CONTROLLED FLOW ROOF DRAIN SYSTEMS (1111)
- BUILDING SUBDRAINS (1113)

CORRECTION LIST		
ITEM NO.	DESCRIPTION	CODE SECTION
<input type="checkbox"/> 1		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		
<input type="checkbox"/>		